

L Number	Hits	Search Text	DB	Time stamp
4	3	((semiconductor near3 laser) and (semiconductor near3 chip) and (extinction near5 ratio) and polariz\$6) and ((fiber) near6 (bench or mount or submount))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 09:29
-	79556	semiconductor adj laser	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 11:46
-	66182	semiconductor adj chip	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/07 14:27
-	779	(semiconductor adj laser) and (semiconductor adj chip)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/07 14:28
-	67	((semiconductor adj laser) and (semiconductor adj chip)) and submount	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/07 14:28
-	2	((((semiconductor adj laser) and (semiconductor adj chip)) and submount) and ((polarization-maintain\$) or PM)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/07 14:30
-	38454	(polarization-maintain\$) or (polarization near3 maintain\$) or (polarization-preserv\$) or (polarization near3 preserv\$) or PM or ((high adj birefring\$) near5 ((single-mode) or (single\$1mode)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/07 14:35
-	1035	(semiconductor adj laser) and ((polarization-maintain\$) or (polarization near3 maintain\$) or (polarization-preserv\$) or (polarization near3 preserv\$) or PM or ((high adj birefring\$) near5 ((single-mode) or (single\$1mode))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/07 14:35
-	16	((semiconductor adj laser) and ((polarization-maintain\$) or (polarization near3 maintain\$) or (polarization-preserv\$) or (polarization near3 preserv\$) or PM or ((high adj birefring\$) near5 ((single-mode) or (single\$1mode)))) and submount	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/07 14:36
-	29	((semiconductor adj laser) and ((polarization-maintain\$) or (polarization near3 maintain\$) or (polarization-preserv\$) or (polarization near3 preserv\$) or PM or ((high adj birefring\$) near5 ((single-mode) or (single\$1mode)))) and ferrule	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/07 14:36
-	547	((semiconductor adj laser) and ((polarization-maintain\$) or (polarization near3 maintain\$) or (polarization-preserv\$) or (polarization near3 preserv\$) or PM or ((high adj birefring\$) near5 ((single-mode) or (single\$1mode)))) and optic\$ adj (fiber\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/07 15:00

-	3	((((semiconductor adj laser) and ((polarization-maintain\$) or (polarization near3 maintain\$) or (polarization-preserv\$) or (polarization near3 preserv\$) or PM or ((high adj birefring\$) near5 ((single-mode) or (single\$1mode)))))) and optic\$ adj (fiber\$)) and ferrule) and submount) and deform\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/07 15:04
-	3	((((semiconductor adj laser) and ((polarization-maintain\$) or (polarization near3 maintain\$) or (polarization-preserv\$) or (polarization near3 preserv\$) or PM or ((high adj birefring\$) near5 ((single-mode) or (single\$1mode)))))) and optic\$ adj (fiber\$)) and ferrule) and submount) and deform\$) and (semiconductor adj chip)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/07 15:05
-	3	((((semiconductor adj laser) and ((polarization-maintain\$) or (polarization near3 maintain\$) or (polarization-preserv\$) or (polarization near3 preserv\$) or PM or ((high adj birefring\$) near5 ((single-mode) or (single\$1mode)))))) and optic\$ adj (fiber\$)) and ferrule) and submount) and deform\$) and (semiconductor adj chip)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/07 15:06
-	0	((((semiconductor adj laser) and ((polarization-maintain\$) or (polarization near3 maintain\$) or (polarization-preserv\$) or (polarization near3 preserv\$) or PM or ((high adj birefring\$) near5 ((single-mode) or (single\$1mode)))))) and optic\$ adj (fiber\$)) and ferrule) and submount) and deform\$) and (semiconductor adj chip)) and bragg	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/07 15:07
-	0	((((semiconductor adj laser) and ((polarization-maintain\$) or (polarization near3 maintain\$) or (polarization-preserv\$) or (polarization near3 preserv\$) or PM or ((high adj birefring\$) near5 ((single-mode) or (single\$1mode)))))) and optic\$ adj (fiber\$)) and ferrule) and submount) and deform\$) and (semiconductor adj chip)) and diffraction	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/07 15:09
-	0	((((semiconductor adj laser) and ((polarization-maintain\$) or (polarization near3 maintain\$) or (polarization-preserv\$) or (polarization near3 preserv\$) or PM or ((high adj birefring\$) near5 ((single-mode) or (single\$1mode)))))) and optic\$ adj (fiber\$)) and ferrule) and submount) and deform\$) and (semiconductor adj chip)) and wedge	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/07 15:10
-	2	((((semiconductor adj laser) and ((polarization-maintain\$) or (polarization near3 maintain\$) or (polarization-preserv\$) or (polarization near3 preserv\$) or PM or ((high adj birefring\$) near5 ((single-mode) or (single\$1mode)))))) and optic\$ adj (fiber\$)) and ferrule) and submount) and deform\$) and (semiconductor adj chip)) and grating	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/07 15:10
-	8	(((semiconductor adj laser) and ((polarization-maintain\$) or (polarization near3 maintain\$) or (polarization-preserv\$) or (polarization near3 preserv\$) or PM or ((high adj birefring\$) near5 ((single-mode) or (single\$1mode)))))) and optic\$ adj (fiber\$)) and ferrule) and submount	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/07 16:55

-	27	((semiconductor adj laser) and ((polarization-maintain\$) or (polarization near3 maintain\$) or (polarization-preserv\$) or (polarization near3 preserv\$) or PM or ((high adj birefring\$) near5 ((single-mode) or (single\$1mode)))) and optic\$ adj (fiber\$) and ferrule	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/08 09:42
-	5	((semiconductor adj laser) and ((polarization-maintain\$) or (polarization near3 maintain\$) or (polarization-preserv\$) or (polarization near3 preserv\$) or PM or ((high adj birefring\$) near5 ((single-mode) or (single\$1mode)))) and optic\$ adj (fiber\$) and ferrule and bragg	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/08 09:20
-	6	(5949801, 6108355, "6122301").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/08 10:06
-	1006	372/20.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/08 10:06
-	391	385/93.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/08 10:07
-	643	385/92.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/08 10:07
-	0	372/3ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/08 14:42
-	206	372/3.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/08 14:42
-	164	372/3.ccls. and raman	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/08 14:43
-	56	(372/3.ccls. and raman) and nm	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/08 14:43
-	2	(372/3.ccls. and raman) and ("1400" adj nm)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/08 14:44

-	25	372/3.ccls. and ((14\$2 or 15\$2) adj nm)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/03/08 14:48
-	102667	semiconductor near3 laser	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 11:46
-	109299	semiconductor near3 chip	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 11:46
-	1116845	fiber	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 11:46
-	3853	extinction near5 ratio	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 11:47
-	187257	polariz\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 11:47
-	43558	bench	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 11:50
-	2	((semiconductor near3 laser) and (semiconductor near3 chip) and fiber and (extinction near5 ratio) and polariz\$6 and bench	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 11:48
-	2	((semiconductor near3 laser) and (semiconductor near3 chip) and fiber and (extinction near5 ratio) and polariz\$6 and bench) and (method or process or manufactur\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 11:48
-	806445	bench or mount or submount	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 11:50
-	41	((semiconductor near3 laser) and (semiconductor near3 chip) and fiber and (extinction near5 ratio) and polariz\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/26 11:51
-	11	((semiconductor near3 laser) and (semiconductor near3 chip) and fiber and (extinction near5 ratio) and polariz\$6) and (bench or mount or submount)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/03 09:28